



Special Shapes

Columbia, South Carolina Plant






Table of Contents



Arch Sets	2-11
Bullnose	12-14
Corners	15-16
Copings	17-19
Shelf Angles	20-21
Sills	22
Step Treads	23-24
Water Tables	25-30
Order Guidelines	31



Setting your designs apart with character and distinction.


When you want a project that's anything but ordinary, Meridian® Brick Shapes are the perfect solution. With our brick shapes, you can enhance and set apart any building project beautifully. Shapes let you "tailor" the exterior of a commercial building or home, creating a one-of-a-kind sophistication and historical detail that truly stands out from the crowd. Perfect for all architectural styles, Meridian® Brick Shapes are available from our stock, standard and custom collections to meet your exact need and specifications.

A customized look for any commercial project.

Commercial buildings can vary greatly in their size and structural makeup. Meridian® Brick Shapes let you add a level of distinction and warmth that creates a welcoming effect not found just anywhere. From banks to restaurants, retail stores to office buildings, our brick shapes can make the difference between a space that is ordinary and one that is truly unique.

Giving homes the edge on style.

Homeowners want a structural home as unique as they are. With over 150 different colors, styles, and textures available, Meridian® Brick Shapes can perfectly compliment the character of the brick that has been chosen. Not only do our brick shapes create rich subtleties and dimensional accents on a home, they also give the home a warm inviting look that separates it from the rest.





Arch sets

AR1 JACK ARCH

Order Requirements

- Brick size (MOD, ENM, QSM)
- Masonry opening (inches)
- Arch height (# of courses)
- Mortar joint thickness (inches)
- Skewback angle
(60° = standard skewback)
- Type of brick



AR2 BONDED JACK ARCH

Order Requirements

- Brick size (MOD, ENM, QSM)
- Masonry opening (inches)
- Arch height (# of courses)
- Mortar joint thickness (inches)
- Skewback angle
(60° = standard skewback)
- Type of brick



AR3 BONDED JACK ARCH WITH FIVE-COURSE KEY

Order Requirements

- Brick size (MOD, ENM, QSM)
- Masonry opening (inches)
- Arch height (# of courses)
- Mortar joint thickness (inches)
- Skewback angle
(60° = standard skewback)
- Type of brick




Arch sets

AR4 THREE-PIECE BONDED JACK ARCH

Order Requirements

- Brick size (MOD, ENM, QSM)
- Masonry opening (inches)
- Arch height (# of courses)
- Mortar joint thickness (inches)
- Skewback angle
(60° = standard skewback)
- Type of brick



AR5 L/R NEW CONCEPT ARCH FOUR-COURSE SEGMENTS

Order Requirements

- Brick size (MOD, ENM, QSM)
- Masonry opening (inches)
- Skewback angle = 78°
- Type of brick
- All new concept arches are 2 1/4" in width



ARK6 NEW CONCEPT ARCH FOUR-COURSE KEYS

Order Requirements

- Brick size (MOD, ENM, QSM)
- Masonry opening (inches)
- Skewback angle = 78°
- Type of brick





Arch sets

ARK7 NEW CONCEPT ARCH FIVE-COURSE, TWO-PIECE KEY

Order Requirements


- Brick size (MOD, ENM, QSM)
- Masonry opening (inches)
- Skewback angle
(78° = standard skewback)
- Type of brick



AR8 RADIAL ARCH

Order Requirements


- Brick size (MOD, ENM, QSM)
- Masonry opening (A in inches)
- Arch rise (H in inches)
- Mortar joint thickness (inches)
- Type of brick



AR9 BONDED RADIAL ARCH

Order Requirements

- Brick size (MOD, ENM, QSM)
- Masonry opening (A in inches)
- Arch rise (H in inches)
- Mortar joint thickness (inches)
- Type of brick




Arch sets

AR10 ROMAN ARCH

Order Requirements


- Brick size (MOD, ENM, QSM)
- Masonry opening (A in inches)
- Wall thickness (if applicable)
- Mortar joint thickness (inches)
- Type of brick



AR11 BONDED ROMAN ARCH

Order Requirements


- Brick size (MOD, ENM, QSM)
- Masonry opening (A in inches)
- Wall thickness (if applicable)
- Mortar joint thickness (inches)
- Type of brick



AR12 CIRCULAR ARCH

Order Requirements

- Brick size (MOD, ENM, QSM)
- Masonry opening D (inside diameter in inches)
- Type of brick






Arch sets

AR13 BONDED CIRCULAR ARCH

Order Requirements


- Brick size (MOD, ENM, QSM)
- Masonry opening D (inside diameter in inches)
- Type of brick



AR14 ELLIPTICAL ARCH

Order Requirements


- Brick size (MOD, ENM, QSM)
- Masonry opening (MO in inches)
- Radius (A in inches)
- Radius (B in inches)
- Rise (H in inches)
- Type of brick



AR15 BONDED ELLIPTICAL ARCH

Order Requirements

- Brick size (MOD, ENM, QSM)
- Masonry opening (MO in inches)
- Radius (A in inches)
- Radius (B in inches)
- Rise (H in inches)
- Type of brick




Arch sets

AR16 ELLIPTICAL ARCH WITH KEY

Order Requirements


- Brick size (MOD, ENM, QSM)
- Masonry opening (MO in inches)
- Radius (A in inches)
- Radius (B in inches)
- Rise (H in inches)
- Type of brick



AR17 TUDOR ARCH

Order Requirements


- Brick size (MOD, ENM, QSM)
- Masonry opening (MO in inches)
- Radius (A in inches)
- Rise (H in inches)
- Type of brick



AR18 BONDED TUDOR ARCH

Order Requirements

- Brick size (MOD, ENM, QSM)
- Masonry opening (MO in inches)
- Radius (A in inches)
- Rise (H in inches)
- Type of brick






Arch sets

AR19 GOTHIC ARCH

Order Requirements


- Brick size (MOD, ENM, QSM)
- Masonry opening (MO in inches)
- Rise (H in inches)
- Type of brick



AR20 BONDED GOthic ARCH

Order Requirements


- Brick size (MOD, ENM, QSM)
- Masonry opening (MO in inches)
- Rise (H in inches)
- Type of brick



AR21 PARABOLIC ARCH

Order Requirements

- uses no special shapes




Arch sets

AR22 PALLADIAN ARCH

Order Requirements

- Brick size (MOD, ENM, QSM)
- Masonry opening (MO in inches)
- Radius (A in inches)
- Type of brick






Bullnose

BN1 SINGLE BULLNOSE HEADER

DIMENSIONS	A	B	C	D	R
MODULAR	7-5/8"	2-1/4"	3-1/2"	5-3/8"	2-1/4"
ENGINEER	7-5/8"	2-3/4"	3-1/2"	5-3/8"	2-3/4"
QUEEN	7-5/8"	2-3/4"	3"	5-3/8"	2-3/4"

Order Requirements

- Brick size (MOD, ENM, QSM)
- Type of brick




BN2 SINGLE BULLNOSE STRETCHER

DIMENSIONS	A	B	C	D	R
MODULAR	7-5/8"	3-1/2"	2-1/4"	1-1/4"	2-1/4"
ENGINEER	7-5/8"	3-1/2"	2-3/4"	3/4"	2-3/4"
QUEEN	7-5/8"	3"	2-3/4"	1/4"	2-3/4"

Order Requirements

- Brick size (MOD, ENM, QSM)
- Type of brick




BN3 L/R SINGLE BULLNOSE STRETCHER RETURN

DIMENSIONS	A	B	C	D
MODULAR	7-5/8"	2-1/4"	3-1/2"	5-3/8" x 1-1/4"
ENGINEER	7-5/8"	2-3/4"	3-1/2"	5-1/4" x 3/4"
QUEEN	7-5/8"	2-3/4"	3"	5-1/4" x 1/4"

Order Requirements

- Brick size (MOD, ENM, QSM)
- Type of brick





Bullnose

BN4 SINGLE BULLNOSE HEADER INTERNAL CORNER

DIMENSIONS	A	B
MODULAR	3-1/2"	2-1/4"
ENGINEER	3-1/2"	2-3/4"
QUEEN	3"	2-3/4"

Order Requirements

- Brick size (MOD, ENM, QSM)
- Type of brick




BN5 SINGLE BULLNOSE HEADER EXTERNAL CORNER

DIMENSIONS	A	B
MODULAR	3-1/2"	2-1/4"
ENGINEER	3-1/2"	2-3/4"
QUEEN	3"	2-3/4"

Order Requirements

- Brick size (MOD, ENM, QSM)
- Type of brick





BN6 DOUBLE BULLNOSE HEADER

DIMENSIONS	A	B	C	R
MODULAR	7-5/8"	2-1/4"	3-1/2"	2-1/4"
ENGINEER	7-5/8"	2-3/4"	3-1/2"	2-3/4"
QUEEN	7-5/8"	2-3/4"	3"	2-3/4"

Order Requirements

- Brick size (MOD, ENM, QSM)
- Type of brick





Bullnose

BN7 DOUBLE BULLNOSE HEADER WALL END

DIMENSIONS	A	B	C
MODULAR	7-5/8"	2-1/4"	3-1/2"
ENGINEER	7-5/8"	2-3/4"	3-1/2"
QUEEN	7-5/8"	2-3/4"	3"

Order Requirements

- Brick size (MOD, ENM, QSM)
- Type of brick





BN10 SINGLE BULLNOSE ROWLOCK

DIMENSIONS	A	B	C	R
MODULAR	7-5/8"	3-1/2"	2-1/4"	1-1/2"
ENGINEER	7-5/8"	3-1/2"	2-3/4"	1-1/2"
QUEEN	7-5/8"	3"	2-3/4"	1-1/2"

Order Requirements

- Brick size (MOD, ENM, QSM)
- Type of brick



BN11 SINGLE BULLNOSE MITERED ROWLOCK CORNER

DIMENSIONS	A	B	C
MODULAR	7-5/8"	3-1/2"	2-1/4"
ENGINEER	7-5/8"	3-1/2"	2-3/4"
QUEEN	7-5/8"	3"	2-3/4"

Order Requirements

- Brick size (MOD, ENM, QSM)
- Type of brick




Corners

AC1 EXTERNAL 135° ANGLE STRETCHER

DIMENSIONS	A	B	C	D
MODULAR	2"	2-1/4"	6"	3-1/2"
ENGINEER	2"	2-3/4"	6"	3-1/2"
QUEEN	2"	2-3/4"	6"	3"

Order Requirements

- Brick size (MOD, ENM, QSM)
- Type of brick





AC2 INTERNAL 135° ANGLE STRETCHER

DIMENSIONS	A	B	C	D
MODULAR	2"	2-1/4"	6"	3-1/2"
ENGINEER	2"	2-3/4"	6"	3-1/2"
QUEEN	2"	2-3/4"	6"	3"

Order Requirements

- Brick size (MOD, ENM, QSM)
- Type of brick




RD1 EXTERNAL RADIAL

DIMENSIONS	A	B	C
MODULAR	3-1/2"	2-1/4"	varies
ENGINEER	3-1/2"	2-3/4"	varies
QUEEN	3"	2-3/4"	varies

Order Requirements

- Brick size (MOD, ENM, QSM)
- Radius (inches)
- Type of brick







Corners

RD2 INTERNAL RADIAL

DIMENSIONS	A	B	C
MODULAR	3-1/2"	2-1/4"	varies
ENGINEER	3-1/2"	2-3/4"	varies
QUEEN	3"	2-3/4"	varies

Order Requirements

- Brick size (MOD, ENM, QSM)
- Radius (inches)
- Type of brick




SC1 SOLDIER CORNER

DIMENSIONS	A	B
MODULAR	7-5/8"	2-1/4"
ENGINEER	7-5/8"	2-1/4"
QUEEN	7-5/8"	2-3/4"

Order Requirements

- Brick size (MOD, ENM, QSM)
- Type of brick





Copings

OG6 OGEE HEADER MITERED INSIDE CORNER

DIMENSIONS	A	B
MODULAR	7-5/8"	2-1/4"
ENGINEER	7-5/8"	2-3/4"
QUEEN	7-5/8"	2-3/4"

Order Requirements

- Brick size (MOD, ENM, QSM)
- Type of brick






OG10 OGEE ROWLOCK INSIDE CORNER

DIMENSIONS	A	B	C
MODULAR	7-5/8"	3-1/2"	2-1/4"
ENGINEER	7-5/8"	3-1/2"	2-3/4"
QUEEN	7-5/8"	3"	2-3/4"

Order Requirements

- Brick size (MOD, ENM, QSM)
- Type of brick



OG11 OGEE POST CAP 4 PIECE

DIMENSIONS	A	B
MODULAR	12"	3-1/2"
ENGINEER	12"	3-1/2"
QUEEN	12"	3-1/2"

Order Requirements

- Brick size (MOD, ENM, QSM)
- Type of brick
- Note: Caps with "A" dimension greater than 12" will require additional pieces.
- Special Note: If using as a Light Pole Cap, indicate size and shape of fixture base.





Copings

WC7 CROWN WALL CAP

DIMENSIONS	A	B	C
MODULAR	7-5/8"	3-1/2"	2-1/4"
ENGINEER	7-5/8"	3-1/2"	2-3/4"
QUEEN	7-5/8"	3"	2-3/4"

Order Requirements

- Brick size (MOD, ENM, QSM)
- Type of brick



WC8 CROWN WALL CAP MITERED CORNER

DIMENSIONS	A	B	C
MODULAR	7-5/8"	3-1/2"	2-1/4"
ENGINEER	7-5/8"	3-1/2"	2-3/4"
QUEEN	7-5/8"	3"	2-3/4"

Order Requirements

- Brick size (MOD, ENM, QSM)
- Type of brick



WC9 CROWN WALL CAP END

DIMENSIONS	A	B	C
MODULAR	7-5/8"	3-1/2"	6"
ENGINEER	7-5/8"	3-1/2"	6"
QUEEN	7-5/8"	3"	6"

Order Requirements

- Brick size (MOD, ENM, QSM)
- Type of brick





Copings

HR1 HALF ROUND WALL CAP

DIMENSIONS	A	B	C
MODULAR	7-5/8"	2-1/4"	3-1/2"
ENGINEER	7-5/8"	2-3/4"	3-1/2"
QUEEN	7-5/8"	2-3/4"	3"

Order Requirements

- Brick size (MOD, ENM, QSM)
- Type of brick



HR2 HALF ROUND WALL CAP INSIDE CORNER

DIMENSIONS	A	B	C
MODULAR	7-5/8"	2-1/4"	3-1/2"
ENGINEER	7-5/8"	2-3/4"	3-1/2"
QUEEN	7-5/8"	2-3/4"	3"

Order Requirements

- Brick size (MOD, ENM, QSM)
- Type of brick




HR3 HALF ROUND WALL CAP END

DIMENSIONS	A	B	C
MODULAR	7-5/8"	3-1/2"	6"
ENGINEER	7-5/8"	3-1/2"	6"
QUEEN	7-5/8"	3"	6"

Order Requirements

- Brick size (MOD, ENM, QSM)
- Type of brick







Shelf angle

SA1 STRETCHERS SHELF ANGLE

DIMENSIONS	A	B	C	D
MODULAR	7-5/8"	2-1/4"	3-1/2"	3/4"
ENGINEER	7-5/8"	2-3/4"	3-1/2"	3/4"
QUEEN	7-5/8"	2-3/4"	3"	3/4"



- Order Requirements
- Brick size (MOD, ENM, QSM)
 - Type of brick



SA2 L/R STRETCHER SHELF ANGLE CORNER

DIMENSIONS	A	B	C	D
MODULAR	7-5/8"	2-1/4"	3-1/2"	3/4"
ENGINEER	7-5/8"	2-3/4"	3-1/2"	3/4"
QUEEN	7-5/8"	2-3/4"	3"	3/4"



- Order Requirements
- Brick size (MOD, ENM, QSM)
 - Type of brick
 - Left or right



SA3 SOLDIER SHELF ANGLE

DIMENSIONS	A	B	C	D
MODULAR	7-5/8"	2-1/4"	3-1/2"	3/4"
ENGINEER	7-5/8"	2-3/4"	3-1/2"	3/4"
QUEEN	7-5/8"	2-3/4"	3"	3/4"

- Order Requirements
- Brick size (MOD, ENM, QSM)
 - Type of brick
 - Left or right




Shelf angle

SA4 SOLDIER SHELF ANGLE CORNER

DIMENSIONS	A	B	C
MODULAR	7-5/8"	2-1/4"	3-1/2"
ENGINEER	7-5/8"	2-3/4"	3-1/2"
QUEEN	7-5/8"	2-3/4"	3"

- Order Requirements
- Brick size (MOD, ENM, QSM)
 - Type of brick
 - Left or right






Sills

OG4 OGEE SLOPED SILL HEADER

DIMENSIONS	A	B	C	D
MODULAR	6"	3-1/2"	2-1/4"	5-1/4"
ENGINEER	6"	3-1/2"	2-3/4"	5-1/4"
QUEEN	6"	3"	2-3/4"	5-1/4"

Order Requirements

- Brick size (MOD, ENM, QSM)
- Type of brick




OG5 L/R OGEE SLOPED SILL RETURN

DIMENSIONS	A	B	C
MODULAR	6"	3-1/2"	2-1/4"
ENGINEER	6"	3-1/2"	2-3/4"
QUEEN	6"	3"	2-3/4"

Order Requirements

- Brick size (MOD, ENM, QSM)
- Type of brick





OG9 L/R OGEE ROWLOCK SILL RETURN

DIMENSIONS	A	B	C
MODULAR	7-5/8"	3-1/2"	2-1/4"
ENGINEER	7-5/8"	3-1/2"	2-3/4"
QUEEN	7-5/8"	3"	2-3/4"

Order Requirements

- Brick size (MOD, ENM, QSM)
- Type of brick




Step tread

BR1 ROWLOCK MITERED STEP CORNER

DIMENSIONS	A	B	C
MODULAR	7-5/8"	3-1/2"	2-1/4"
ENGINEER	7-5/8"	3-1/2"	2-3/4"
QUEEN	7-5/8"	3"	2-3/4"

Order Requirements

- Brick size (MOD, ENM, QSM)
- Type of brick




OG2 OGEE STEP TREAD HEADER

DIMENSIONS	A	B	C	D
MODULAR	7-5/8"	2-1/4"	3-1/2"	6-3/8"
ENGINEER	7-5/8"	2-3/4"	3-1/2"	6-1/8"
QUEEN	7-5/8"	2-3/4"	3"	6-1/8"

Order Requirements

- Brick size (MOD, ENM, QSM)
- Type of brick





OG3 OGEE STEP TREAD MITERED HEADER CORNER

DIMENSIONS	A	B	D
MODULAR	7-5/8"	2-1/4"	6-3/8"
ENGINEER	7-5/8"	2-3/4"	6-1/8"
QUEEN	7-5/8"	2-3/4"	6-1/8"

Order Requirements

- Brick size (MOD, ENM, QSM)
- Type of brick







Step tread

OG7 OGEE ROWLOCK

DIMENSIONS	A	B	C	D
MODULAR	7-5/8"	3-1/2"	2-1/4"	5-7/8"
ENGINEER	7-5/8"	3-1/2"	2-3/4"	5-7/8"
QUEEN	7-5/8"	3"	2-3/4"	5-7/8"

Order Requirements

- Brick size (MOD, ENM, QSM)
- Type of brick




OG8 OGEE ROWLOCK MITERED STEP CORNER

DIMENSIONS	A	B	C	D
MODULAR	7-5/8"	3-1/2"	2-1/4"	5-7/8"
ENGINEER	7-5/8"	3-1/2"	2-3/4"	5-7/8"
QUEEN	7-5/8"	3"	2-3/4"	5-7/8"

Order Requirements

- Brick size (MOD, ENM, QSM)
- Type of brick




Water table

WT1 WATER TABLE COVE HEADER

DIMENSIONS	A	B	C	D
MODULAR	7-5/8"	2-1/4"	3-1/2"	6-1/2"
ENGINEER	7-5/8"	2-3/4"	3-1/2"	6"
QUEEN	7-5/8"	2-3/4"	3"	6"

Order Requirements

- Brick size (MOD, ENM, QSM)
- Type of brick




WT2 WATER TABLE COVE STRETCHER

DIMENSIONS	A	B	C	D
MODULAR	7-5/8"	2-1/4"	3-1/2"	6-3/8"
ENGINEER	7-5/8"	2-3/4"	3-1/2"	6-1/8"
QUEEN	7-5/8"	2-3/4"	3"	6-1/8"

Order Requirements

- Brick size (MOD, ENM, QSM)
- Type of brick




WT3 L/R WATER TABLE COVE STRETCHER RETURN

DIMENSIONS	A	B	C	D
MODULAR	7-5/8"	2-1/4"	3-1/2"	2" x 6-1/8"
ENGINEER	7-5/8"	2-3/4"	3-1/2"	1-1/2" x 6-1/8"
QUEEN	7-5/8"	2-3/4"	3"	1" x 6-1/8"

Order Requirements

- Brick size (MOD, ENM, QSM)
- Type of brick






Water table

WT4 WATER TABLE COVE HEADER OUTSIDE CORNER

DIMENSIONS	A	B
MODULAR	3-1/2"	2-1/4"
ENGINEER	3-1/2"	2-3/4"
QUEEN	3"	2-3/4"



- Order Requirements
- Brick size (MOD, ENM, QSM)
 - Type of brick



WT5 WATER TABLE COVE INSIDE CORNER

DIMENSIONS	A	B
MODULAR	3-1/2"	2-1/4"
ENGINEER	3-1/2"	2-3/4"
QUEEN	3"	2-3/4"



- Order Requirements
- Brick size (MOD, ENM, QSM)
 - Type of brick



WT6 WATER TABLE ROWLOCK

DIMENSIONS	A	B	C	D
MODULAR	7-5/8"	3-1/2"	2-1/4"	3-5/8"
ENGINEER	7-5/8"	3-1/2"	2-3/4"	3-5/8"
QUEEN	7-5/8"	3"	2-3/4"	3-5/8"

- Order Requirements
- Brick size (MOD, ENM, QSM)
 - Type of brick




Water table

WT7 WATER TABLE ROWLOCK INSIDE CORNER MITERED

DIMENSIONS	A	B
MODULAR	7-5/8"	3-1/2"
ENGINEER	7-5/8"	3-1/2"
QUEEN	7-5/8"	3"

Order Requirements

- Brick size (MOD, ENM, QSM)
- Type of brick




WT8 WATER TABLE ROWLOCK OUTSIDE CORNER MITERED

DIMENSIONS	A	B
MODULAR	7-5/8"	2-1/4"
ENGINEER	7-5/8"	2-3/4"
QUEEN	7-5/8"	2-3/4"

Order Requirements

- Brick size (MOD, ENM, QSM)
- Type of brick




WT9 WATER TABLE SPLAY HEADER

DIMENSIONS	A	B	C	D	E
MODULAR	7-5/8"	2-1/4"	3-1/2"	6-1/8"	3/4"
ENGINEER	7-5/8"	2-3/4"	3-1/2"	6-1/8"	1-1/2"
QUEEN	7-5/8"	2-3/4"	3"	6-1/8"	1-1/2"

Order Requirements

- Brick size (MOD, ENM, QSM)
- Type of brick







Water table

WT10 WATER TABLE SPLAY STRETCHER

DIMENSIONS	A	B	C	D	E
MODULAR	3-1/2"	2-1/4"	7-5/8"	2"	3/4"
ENGINEER	3-1/2"	2-3/4"	7-5/8"	2-1/4"	1-1/2"
QUEEN	3"	2-3/4"	7-5/8"	2-1/4"	1-1/2"

Order Requirements

- Brick size (MOD, ENM, QSM)
- Type of brick





WT11 WATER TABLE SPLAY INSIDE CORNER

DIMENSIONS	A	B
MODULAR	3-1/2"	2-1/4"
ENGINEER	3-1/2"	2-3/4"
QUEEN	3"	2-3/4"

Order Requirements

- Brick size (MOD, ENM, QSM)
- Type of brick





WT12 WATER TABLE SPLAY OUTSIDE CORNER

DIMENSIONS	A	B	C	D
MODULAR	3-1/2"	2-1/4"	3-1/2"	2-3/4"
ENGINEER	3-1/2"	2-3/4"	3-1/2"	2-1/4"
QUEEN	3"	2-3/4"	3"	2-1/4"

Order Requirements

- Brick size (MOD, ENM, QSM)
- Type of brick





Water table

WT13 WATER TABLE ROMAN STRETCHER

DIMENSIONS	A	B	C	D
MODULAR	7-5/8"	2-1/4"	3-1/2"	2"
ENGINEER	7-5/8"	2-3/4"	3-1/2"	2"
QUEEN	7-5/8"	2-3/4"	3"	1-1/2"

Order Requirements

- Brick size (MOD, ENM, QSM)
- Type of brick




WT14 WATER TABLE ROWLOCK OUTSIDE CORNER MITERED

DIMENSIONS	A	B
MODULAR	3-1/2"	2-1/4"
ENGINEER	3-1/2"	2-3/4"
QUEEN	3"	2-3/4"

Order Requirements

- Brick size (MOD, ENM, QSM)
- Type of brick





WT15 WATER TABLE SPLAY HEADER

DIMENSIONS	A	B
MODULAR	3-1/2"	2-1/4"
ENGINEER	3-1/2"	2-3/4"
QUEEN	3"	2-3/4"

Order Requirements

- Brick size (MOD, ENM, QSM)
- Type of brick







Water table

WT16 WATER TABLE ROMAN HEADER

DIMENSIONS	A	B	C	D
MODULAR	7-5/8"	2-1/4"	3-1/2"	5-5/8"
ENGINEER	7-5/8"	2-3/4"	3-1/2"	5-5/8"
QUEEN	7-5/8"	2-3/4"	3"	5-5/8"

Order Requirements

- Brick size (MOD, ENM, QSM)
- Type of brick




WT17 L/R WATER TABLE ROMAN STRETCHER L/R CORNER

DIMENSIONS	A	B	C
MODULAR	7-5/8"	2-1/4"	3-1/2"
ENGINEER	7-5/8"	2-3/4"	3-1/2"
QUEEN	7-5/8"	2-3/4"	3"

Order Requirements

- Brick size (MOD, ENM, QSM)
- Type of brick





WT18 L/R WATER TABLE SPLAY STRETCHER L/R CORNER

DIMENSIONS	A	B	C
MODULAR	7-5/8"	2-1/4"	3-1/2"
ENGINEER	7-5/8"	2-3/4"	3-1/2"
QUEEN	7-5/8"	2-3/4"	3"

Order Requirements

- Brick size (MOD, ENM, QSM)
- Type of brick





Ordering Guidelines

STOCK AND STANDARD SHAPES

For information on available shapes, please contact your Meridian® Brick Representative or contact Meridian® Brick Customer Service at:
1.866.259.6263 or
email: askmeridian@meridianbrick.com

If a shape needs to be manufactured, a price quote and lead time will be provided.

CUSTOM SHAPES

Send Drawings, Blueprints, CADpdf.
To the following:
Meridian® Brick Customer Service at:
1.866.259.6263
email: askmeridian@meridianbrick.com

Once required custom shapes documents are received from customer, Meridian® Brick will provide a price quote and an estimated lead time.

A shop drawing will be sent to the customer for approval after the quote is confirmed by the customer.

Manufacturing will begin once a copy of the signed drawing and a purchase order are received by Meridian® Brick and lead time confirmed.

All Meridian shapes will meet ASTM-216, type FBS tolerances.

Angle tolerance will be +/- 3 degrees.

Color and texture of certain shapes may vary slightly from that of the face brick.

**BOLD.[®]
BRICK.
BE
BE**