



REQUIRED SHIM TO SEPARATE ALUMINUM CHANNEL FROM Z-CHANNEL, MAX. SHIMS 3/4" THICK

BACKER ROD AND SEALANT

FLASHING ADHERED TO SUBSTRATE

SEALANT JOINTS

SILICONE COMPATIBLE WEEP VENT @ 24" O/C

PREFINISHED METAL DRIP EDGE

FOAM TAPE

HIGH SLUMP MASONRY GROUT

ADAIR® LIMESTONE MARBLE BASE COURSE

2% SLOPE MIN.

COMPRESSIBLE BACKER ROD AND SEALANT

PREMOLDED EXPANSION JOINT FILLER

GYPSUM WALLBOARD, STEEL STUD WALL, EXTERIOR SHEATHING, AIR/VAPOR BARRIER MEMBRANE, 16 GAUGE Z-CHANNEL, RIGID OR SEMI RIGID INSULATION (THICKNESS DEPENDANT ON REQUIRED R-VALUE), ALUMINUM CHANNELS, 1" AIR SPACE, CALCIUM SILICATE CLIP UNIT

Z-CHANNEL FASTENERS @ 16" O.C. C/W SHIMS AS REQUIRED, MAX. SHIMS 3/4" THICK

STEEL TRACK
SILL FLASHING



ARRISCRAFT
INTERNATIONAL
BUILDING STONE • BRICK • LIMESTONE

ARRISCRAFT • CADD

TITLE: FOUNDATION WALL/
BURIED CLIP UNIT
(ADAIR® LIMESTONE BASE COURSE) WITH PAVING

DATE DRAWN:
01/15/12

SCALE:
3"=1'-0"

DRAWN BY:
D.D.N.

DETAIL No:
SS 08RU

AC007