



BACKER ROD AND SEALANT

SLOPED WATERTABLE  
CALCIUM SILICATE  
CLIP UNIT

DRIP CUT

FLASHING MEMBRANE  
ADHERED TO SUBSTRATE

REQUIRED SHIM TO  
SEPARATE  
ALUMINUM CHANNEL  
FROM Z-CHANNEL, MAX.  
SHIMS 3/4" THICK

BACKER ROD AND  
SEALANT

Z-CHANNEL FASTENERS  
@ 16" O.C. CW SHIMS AS  
REQUIRED, MAX. SHIMS  
3/4" THICK

GYPSUM WALLBOARD,  
STEEL STUD WALL,  
EXTERIOR SHEATHING,  
AIR/VAPOR BARRIER MEMBRANE,  
16 GAUGE Z-CHANNEL,  
RIGID OR SEMI RIGID INSULATION  
(THICKNESS DEPENDANT ON  
REQUIRED R-VALUE),  
ALUMINUM CHANNELS,  
1" AIR SPACE,  
CALCIUM SILICATE CLIP UNIT



**ARRISCRAFT**  
INTERNATIONAL  
BUILDING STONE • BRICK • LIMESTONE

**ARRISCRAFT • CADD**

TITLE:

**SLOPED WATERTABLE**

DATE DRAWN:  
01/15/12

SCALE:  
3"=1'-0"

DRAWN BY:  
D.D.N.

DETAIL No:  
SS 08RU

**AC101**