



DRAINED EIFS SYSTEM BY OTHERS

PREFINISHED METAL DRIP FLASHING

BACKER ROD AND SEALANT

SLOPED WATERTABLE CALCIUM SILICATE CLIP UNIT

DRIP CUT

1" MIN.

BACKER ROD AND SEALANT

REQUIRED SHIM TO SEPARATE ALUMINUM CHANNEL FROM Z-CHANNEL, MAX. SHIMS 3/4" THICK

Z-CHANNEL FASTENERS @ 16" O.C. CW SHIMS AS REQUIRED, MAX. SHIMS 3/4" THICK

GYPSUM WALLBOARD, STEEL STUD WALL, EXTERIOR SHEATHING, AIR/VAPOR BARRIER MEMBRANE, 16 GAUGE Z-CHANNEL, RIGID OR SEMI RIGID INSULATION (THICKNESS DEPENDANT ON REQUIRED R-VALUE), ALUMINUM CHANNELS, 1" AIR SPACE, CALCIUM SILICATE CLIP UNIT



**ARRISCRAFT**  
INTERNATIONAL  
BUILDING STONE • BRICK • LIMESTONE

**ARRISCRAFT • CADD**

TITLE: EIFS/CALCIUM SILICATE TRANSITION (SLOPED)

DATE DRAWN: 01/15/12

SCALE: 3"=1'-0"

DRAWN BY: D.D.N.

DETAIL No: SS 08SU

**AC103**