



GYPSUM WALLBOARD,  
 STEEL STUD WALL,  
 EXTERIOR SHEATHING,  
 AIR/VAPOR BARRIER MEMBRANE,  
 16 GAUGE Z-CHANNEL,  
 RIGID OR SEMI RIGID INSULATION  
 (THICKNESS DEPENDANT ON  
 REQUIRED R-VALUE),  
 ALUMINUM CHANNELS,  
 1" AIR SPACE,  
 CALCIUM SILICATE CLIP UNIT

Z-CHANNEL FASTENERS @ 16" O.C.  
 C/W SHIMS AS REQUIRED, MAX.  
 SHIMS 3/4" THICK

STEEL TRACK  
 SILL FLASHING

REQUIRED SHIM TO  
 SEPARATE  
 ALUMINUM CHANNEL  
 FROM Z-CHANNEL, MAX.  
 SHIMS 3/4" THICK

BACKER ROD AND  
 SEALANT

FLASHING MEMBRANE  
 ADHERED TO SUBSTRATE

PRE-FINISHED METAL  
 DRIP EDGE

PARGING  
 6" MIN.

2% SLOPE  
 MIN.



**ARRISCRAFT**  
 INTERNATIONAL  
 BUILDING STONE • BRICK • LIMESTONE

**ARRISCRAFT • CADD**

TITLE:  
 ALTERNATE FOUNDATION WALL  
 JUNCTION WITH SOIL

DATE DRAWN:  
 01/15/12

SCALE:  
 3"=1'-0"

DRAWN BY:  
 D.D.N.

DETAIL No:  
 SS 12RU

**AC008**