

CALCIUM SILICATE MASONRY UNIT (CSMU),  
 MIN. 1" AIR SPACE,  
 RIGID OR SEMI-RIGID INSULATION (THICKNESS  
 DEPENDANT ON REQUIRED R-VALUE),  
 AIR/VAPOR BARRIER MEMBRANE,  
 EXTERIOR SHEATHING,  
 STEEL STUD WALL,  
 GYPSUM WALLBOARD.

MORTAR DROP CONTROL

FLASHING MEMBRANE SURFACE ADHERE TO SUBSTRATE

UNOBSTRUCTED WEEP SYSTEM @ 24" O/C

PREFINISHED METAL DRIP EDGE SET ON TWO BEADS OF SEALANT

3/8 MIN.

ADAIR® LIMESTONE MARBLE BASE COURSE

HIGH SLUMP MASONRY GROUT

STEEL TRACK FASTENER (SCREW SIZE IS DETERMINED BY LOAD SUPPORTED)

STEEL TRACK

BUILDING PAPER

AIR/VAPOR BARRIER



**ARRISCRAFT**  
 INTERNATIONAL  
 BUILDING STONE • BRICK • LIMESTONE

**ARRISCRAFT • CADD**

TITLE: FOUNDATION WALL/  
 BURIED MASONRY UNIT  
 (ADAIR® LIMESTONE BASE COURSE) WITH SOIL

DATE DRAWN:  
 08/30/04

SCALE:  
 3"=1'-0"

DRAWN BY:  
 LPS

DETAIL No:  
 SS 12R

**U005**